

> High Speed 1-D/2-D Handheld Barcode Reader

DataMan 8050 barcode readers bring Cognex's patented algorithms to a new, lightweight industrial handheld platform. DataMan 8050 reads 1-D and 2-D barcodes with incredible speed every time even if it's damaged, smudged, scuffed or poorly marked. And, at an economical price point.

> Modular Design Easily Adapts to Meet Your Needs

With field interchangeable communication modules, one reader can be configured to meet specific communication needs. Available with both corded and wireless modules.

> Rugged Industrial Design

The DataMan 8050 barcode reader is constructed to handle the harshest environments. Other industrial features include: lanyard hook for easy retractor mounting, bright centralized aimer for clear targeting, loud beeper and indicator lights provide operator feedback.



DataMan 8050 readers are equipped with Cognex's world class barcode reading algorithms and designed to withstand harsh factory floor conditions. The best-in-class algorithms decode even the most challenging barcodes quickly and easily. And, the flexible modular design ensures the DataMan 8050 readers are ready to meet ever changing communication needs.

Proven Performance

The DataMan 8050 readers are ideal for applications in any manufacturing environment that require robust barcode technology and reliable reading performance:



- Automotive body and assembly
- Electronics manufacturing
- Incoming inspection
- Shipping
- Automotive kitting
- Aerospace
- Packaging
- Receiving


High Speed 1-D/2-D Reading Performance

- Cognex's patented algorithms, 1DMax+ with HOTBARS™, enables the DataMan 8050 barcode reader to decode the most challenging 1-D barcodes quickly and easily, at more angles and in any orientation.
- Class-leading 2-D algorithms read many 2-D symbologies even when damaged, obstructed or with perspective distortion. Supported 2-D symbologies include: DataMatrix, QR, PDF417, MaxiCode and Aztec.
- Best-in-class reading performance means 8050 reads: damaged, plastic wrapped, direct inkjet, low contrast, poorly printed, scraped, obstructed, uneven, torn, small and smudged barcodes.

Cognex® DataMan 8000 readers set the new performance standard when it comes to industrial barcode reading. These industry-leading readers introduced several firsts to industrial handheld scanner capabilities. To learn more about the DataMan 8050X, 8100 and 8500 handheld ID readers, visit www.cognex.com/dataman.

Flexible and Easy Integration

- Intuitive Quick Setup Sheets: allow the user to configure the communication and data formatting settings for many common applications.
- Custom Setup Sheets can be printed out from within Setup Tool.
- DataMan Setup Tool Software: view images, complete suite of tools, Java Scripting, PERL Scripting and a variety of advanced data formatting options.



WALZ
 Label & Mailing Systems
 624 High Point Ln, East Peoria, IL 61611-9329
 (309) 698-1500 T/F (877) 971-1500

Specifications

Dimensions	210 mm x 115 mm x 85 mm
Weight	Corded: 0.615 lbs./279 g Wireless: 0.728 lbs./330 g
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-40°C to 60°C (-40°F to 140°F)
Maximum Humidity	95% (non-condensing)
Material	Polycarbonate housing with overmold
Imager	752 x 480 Global Shutter Sensor
Aiming	Centralized green LED aimer
Status Outputs	LED and Beeper
Communications	Serial Module: RS-232, USB-CDC and USB-HID Keyboard Output Bluetooth Intelligent Base Station: RS-232, USB-CDC and USB-HID Keyboard Output
Symbologies	1-D: UPC/EAN/JAN; Codabar, Interleaved 2 of 5, Code 39, Code 128, and Code 93, GS1 Databar, PDF417, Micro PDF417 2-D: Data Matrix, QR, MicroQR, Aztec, MaxiCode
Lighting	Integrated LED with near/far optics
Power Supply Requirements	5V-6V DC, 2.5W LPS or NEC Class 2 power supply Intelligent Base Station: 24V DC
Environmental	Compliant with RoHS directive 2002/98/EEC
Regulatory	Electrical: CE, CSA, UL, 60950 EMI/RFI: FCC Part 15, CE (EMC and R&TTE Directives), ICES-003, RSS-210 Issue 8, KCC
Data Validation	US DoD UID Guidelines, GS-1, ISO15434 and ISO15418
Operating System	Microsoft® Windows® XP, Windows 7 and Windows 8

Scan Chart

Type	Depth of Field
7 mil 2-D Code	Up to 40 mm
10 mil 2-D Code	Up to 80 mm
Code39 6 mil	Up to 90 mm

COGNEX Companies around the world rely on Cognex vision and ID to optimize quality, drive down costs and control traceability.

Corporate Headquarters One Vision Drive Natick, MA 01760 USA Tel: +1 508 650 3000 Fax: +1 508 650 3344

Americas

United States, East +1 508 650 3000
 United States, West +1 650 969 8412
 United States, South +1 615 844 6158
 United States, Detroit +1 248 668 5100
 United States, Chicago +1 630 649 6300
 Canada +1 905 634 2726
 Mexico +52 81 5030 7258
 Central America +52 81 5030 7258
 South America +1 909 247 0445
 Brazil +55 47 8804 0140

Europe

Austria +43 1 23060 3430
 Belgium +32 2 8080 692
 France +33 1 4777 1550
 Germany +49 721 6639 0
 Hungary +36 1 501 0650
 Ireland +353 1 825 4420
 Italy +39 02 6747 1200
 Netherlands +31 208 080 377
 Poland +48 71 776 0752
 Spain +34 93 445 67 78
 Sweden +46 21 14 55 88

Switzerland +41 71 313 06 05
 Turkey +90 212 306 3120
 United Kingdom +44 1327 856 040
Asia
 China +86 21 5050 9922
 India +9120 4014 7840
 Japan +81 3 5977 5400
 Korea +82 2 539 9047
 Singapore +65 632 55 700
 Taiwan +886 3 578 0060

www.cognex.com



© Copyright 2013, Cognex Corporation. All information in this document is subject to change without notice. All Rights Reserved. DataMan and Cognex are registered trademarks and Cognex Connect, Hotbars, 2DMax, OCRMax and Make It Right are trademarks of Cognex Corporation. All other trademarks are property of their respective owners. Lit. No. IS7DS-1304